

	Hits	Search Text
1	31	job adj3 (id identifier) and analysis adj3 tool
2	19	cach\$3.ab. and hash\$3 with request with (user client subscriber consumer customer)
3	3	cach\$3.ab. and hash\$3 with request with (user client subscriber consumer customer first) with respon\$4
4	5	cach\$3.ab. and hash\$3 with request with (receiv\$3 receipt\$3 return\$3 feedback) with respon\$4
5	2	cach\$3.ab. and hash\$3 with (id identifier) and hash\$3 with (receiv\$3 receipt\$3 return\$3 feedback) with respon\$4
6	18	cach\$3.ab. and hash\$3 with (key value function id identifier) with respon\$4
7	73	cach\$3.ab. and hash\$3 with (key value function id identifier) with (reply return receipt\$3 receiv\$3 respon\$4)
8	29	((cach\$3.ab. and hash\$3 with (key value function id identifier) with (reply return receipt\$3 receiv\$3 respon\$4)) and (resource server database) near3 (name id identifier)
9	3	((cach\$3.ab. and hash\$3 with (key value function id identifier) with (reply return receipt\$3 receiv\$3 respon\$4)) and first adj (resource server database) and second adj (resource server database)
10	2	((cach\$3.ab. and hash\$3 with (key value function id identifier) with (reply return receipt\$3 receiv\$3 respon\$4)) and (resource server database) near3 (name id identifier)) and ((cach\$3.ab. and hash\$3 with (key value function id identifier) with (reply return receipt\$3 receiv\$3 respon\$4)) and first adj (resource server database) and second adj (resource server database))
11	1	("6513062").PN.
12	11	((cach\$3.ab. and hash\$3 with (key value function id identifier) with (reply return receipt\$3 receiv\$3 respon\$4)) and first adj3 (resource server database) and second adj3 (resource server database)
13	36	hash\$3 adj3 (key value function id identifier) with request with (first origin\$3 local\$2 intranet lan)
14	1	(send\$3 transmi\$4) adj10 hash\$3 adj3 (key value function id identifier) with request with (first origin\$3 local\$2 intranet lan)

BEST AVAILABLE COPY

	Hits	Search Text
1	49	(assign\$3 creat\$3 establish\$3 generat\$3) with (name id identifier) with hash\$3 with (server resource)
2	66	(assign\$3 creat\$3 establish\$3 generat\$3) with (url address name id identifier) with hash\$3 with (server resource)
3	667	hash\$3 with request\$3
4	90	respon\$4 with hash\$3 with request\$3
5	5	4 and 6
6	136	(return\$3 reply\$3 respon\$4) with hash\$3 with request\$3
7	469	(assign\$3 creat\$3 establish\$3 generat\$3) with (name id identifier) near10 hash\$3
8	22	8 and 9
9	5	8 same 9

BEST AVAILABLE COPY

	Hits	Search Text
15	7	(send\$3 transmi\$4) with hash\$3 adj3 (key value function id identifier) with request with (first origin\$3 local\$2 intranet lan)
16	683794	(receiv\$3 receipt\$3 return\$3 respon\$4) with second
17	3	((send\$3 transmi\$4) with hash\$3 adj3 (key value function id identifier) with request with (first origin\$3 local\$2 intranet lan)) and ((receiv\$3 receipt\$3 return\$3 respon\$4) with second)

**BEST AVAILABLE COPY**